



Formula: C₂₂H₃₅NO₂

MW: 345.53

CAS: 6879-74-9

MDL: MFCD00274559

TNP: TNP00617



LogP: 1.14

LogS: -3.01

Acceptors: 2

Donors: 0

Rotation Bonds: 0

Chiral Centers: 8

N+O: 3

LIPINSKY: 4

Info: Himbacine is an alkaloid isolated from *Galbulimima baccata*. It is a potent muscarinic M₂/M₄ receptor antagonist^{1,2}

IUPAC: 8-[(1E)-2-((2S,6R)-1,6-dimethyl(2-piperidyl))vinyl](3S,6S,9S,1R,7R,8R)-6-methyl-5-oxatricyclo[7.4.0.0]tridecan-4-one

Smiles:

C1C[C@@H]2([C@H]([C@@H]3[C@H](C[C@H]2CC1)C(=O)O[C@H]3C)C=C[C@H]1N([C@@H](CCC1)C)C)

REFERENCE: Doller, D., et al., Design, synthesis, and structure-activity relationship studies of himbacine derived muscarinic receptor antagonists. *Bioorg. Med. Chem. Lett.* 9, 901-906, (1999) abstract
Sagrada, A., et al., Himbacine discriminates between putative muscarinic M1 receptor-mediated responses. *Life Sci.* 54, PL305-PL310, (1994) abstract
Miller, J.H., et al., Binding and functional selectivity of himbacine for cloned and neuronal muscarinic receptors. *J. Pharmacol. Exp. Ther.* 263, 663-667, (1992) abstract
Dorje, F., et al., Antagonist binding profiles of five cloned human muscarinic receptor subtypes. *J. Pharmacol. Exp. Ther.* 256, 727-733, (1991) abstract

SOURCE: Himbacine is an alkaloid isolated from *Galbulimima baccata*.

ACTIVITY: It is a potent muscarinic M2/M4 receptor antagonist^{1,2} Selective M2/M4 muscarinic acetylcholine receptor antagonist